

SIMPLY COOL
MINIBARS PAMIBAR

WWW.PAMIBAR.COM

“

SIMPLY
COOL.

ALWAYS A
STEP AHEAD







ABOUT PAMIBAR

PAMIBAR has been supplying the hospitality industry with innovative high quality minibars since 2004. Our extensive range includes state-of- the-art minibars – the latest in cooling systems and maximum security components.

Italian design masterpieces: The elegant SEA-Series feature both a striking design and eco-friendly components.

www.pamibar.com



Italian design masterpieces: The elegant SEA-Series introduces our newest minibars. The door side trim of the solid-door models can be personalised and is available in more than 1000+ RAL colors. Low in energy consumption, our minibars comply with CE regulations and are TÜV and SGS certified.

ABSORPTION MINIBARS

ABSORPTION MINIBARS
SEA-SERIES COLORED SIDE TRIM



SEA 30/40 - COLOURED SIDE TRIM

- absorption technology
- volume: 30 or 40 litres
- H/W/D mm: 40 litres: 560x405x455
- H/W/D mm: 30 litres: 500x405x430
- noise level: 0 dBA, energy class: G
- two glass shelves and racks
- automatic defrosting
- door side trim standard black, personalizable in any RAL colour
- tempered thermoglass shelves
- LED light
- 220-240V, 65 W, 50-60Hz

ABSORPTION MINIBARS
SOLID AND GLASS DOOR MODELS



SEA 30/40

- absorption technology
- volume: 30 or 40 litres
- H/W/D mm: 40 litres: 560x405x455
- H/W/D mm: 30 litres: 500x405x430
- noise level: 0 dBA
- energy class: G
- two glass shelves and racks
- automatic defrosting
- door side trim standard black, personalizable in any RAL colour
- tempered thermoglass shelves
- LED light
- 220-240V, 65 W, 50-60Hz



SEA 30/40G

- absorption technology
- glass door with black plastic frame
- volume: 30 or 40 litres
- H/W/D mm: 40 litres: 560x405x455
- H/W/D mm: 30 litres: 500x405x430
- energy class: G
- noise level: 0 dBA
- two tempered glass shelves
- automatic defrosting
- low rated power LED light
- 220-240V, 65 W, 50-60Hz



SEA 25

- absorption technology
- volume: 25 litres
- H/W/D mm: 465x350x390 or option 305 depth
- noise level: 0 dBA
- energy class: G
- two glass shelves and racks
- automatic defrosting
- door side trim standard black
- tempered thermoglass shelves
- LED light, 220-240V, 65 W, 50-60Hz



SEA 60

- absorption technology
- volume: 60 litres
- H/W/D mm: 605x460x485
- noise level: 0 dBA
- energy class: G
- two glass shelves and racks
- automatic defrosting
- LED light
- elegantly curved door
- 220-240V, 90 W, 50-60Hz



SEA 40DX -
DRAWER MINIBAR

- absorption technology
- volume: 46 litres
- H/W/D mm: 425x555x492
- noise level: 0 dBA
- energy class: G
- elegant solid door with glossy glass
- Inside tray and separator
- automatic defrosting
- LED light
- 220-240V, 65 W, 50-60Hz

SAFEGUARDING
THE ENVIRONMENT

Elegance at sight: the thermoelectric S-Series meets every expectation in regards to energy consumption. The glossy door on the solid door models and the possibility to have the interior completely in black will provide a pleasurable guest experience when opening the minibar. You can have more: personalize the colour of the glass door frame on the glass door models, just to give that extra touch! Low in energy consumption and compliant with CE regulations/TÜV and SGS, PAMIBAR is your right choice.

THERMOELECTRIC MINIBARS

THERMOELECTRIC MINIBARS



SG 30/40TP

- thermoelectric technology
- Personalize the glass frame with your own RAL color!
- volume: 30 or 40 litres
- H/W/D mm: 40 litres: 560x405x435
- H/W/D mm: 30 litres: 500x405x415
- noise level: 0 dBA
- energy class: G
- two glass shelves with silver stoppings
- automatic defrosting
- tempered thermoglass shelves
- LED light
- 220-240V, 65 W, 50-60H

THERMOELECTRIC MINIBARS
SOLID AND GLASS DOOR



SG30T

- thermoelectric technology
- volume: 30 litres
- H/W/D mm: 30 litres: 500x405x415
- energy class: G
- noise level: 0 dBA
- two tempered glass shelves
- automatic defrosting
- low rated power LED light
- glass door with black plastic frame
- 220-240V, 65 W, 50-60Hz



SG40T

- thermoelectric technology
- volume: 40 litres
- H/W/D mm: 40 litres: 560x405x435
- energy class: G
- noise level: 0 dBA
- two tempered glass shelves
- automatic defrosting
- low rated power LED light
- glass door with black plastic frame
- 220-240V, 65 W, 50-60Hz



S30T -
SOLID DOOR

- thermoelectric technology
- volume: 30 litres
- H/W/D mm: 500x405x415
- noise level: 0 dBA
- energy class: F
- elegant solid door with glossy glass
- two glass shelves and two wired racks
- automatic defrosting
- door side trim standard black
- tempered thermoglass shelves
- LED light
- 220-240V, 65 W, 50-60Hz



S40T -
SOLID DOOR

- thermoelectric technology
- volume: 40 litres
- H/W/D mm: 560x405x435
- noise level: 0 dBA
- energy class: F
- elegant solid door with glossy glass
- two glass shelves and two wired racks
- automatic defrosting
- door side trim standard black
- tempered thermoglass shelves
- LED light
- 220-240V, 65 W, 50-60Hz



SAFEGUARDING THE ENVIRONMENT

- low energy consumption: electric thermostat
- eco-friendliness: recyclable plastic, free from CFC
- high-quality rust-proof materials, stainless steel screws
- silent thermoelectric and absorption minibars - no ventilators!
- trouble-free maintenance: designed to enable fast and easy AMS
- easy to turn off
- flat aluminium cooling element: high thermal conductivity and cooling efficiency




SAFEGUARDING THE ENVIRONMENT

PAMIBAR MINIBARS OPTION OVERVIEW

FEATURES & OPTIONS



25, 30 & 40 litres:
tempered glass shelves
with silver stopper



Glass door:
3 layered tempered
glass (S models)



Flat aluminium
cooling plate



SEA and SEC 25&30&40
models: Side trim on door
available in any RAL color



Elegant rounded solid-
door on- SEA 25,30&40
models

FEATURES & OPTIONS



Glass door frame in
black, grey, white or any
RAL color



Standard or
embedded handle on
glass door



Sliding hinge for
built-in solutions



Lock with keys



Door seal available in
any RAL color. Black
cabinet optional

TECHNICAL SPECIFICATIONS

MODEL	SEA25	SEA 30	SEA 40	SEA 30G	SEA 40G	B60
VOLUME	25 litres	30 litres	40 litres	30 litres	40 litres	60 litres
DIMENSION H/W/D mm	465x350x390	500x405x430	560x405x455	500x405x430	560x405x455	605x460x480
REFRIGERATION SYSTEM	Absorption	Absorption	Absorption	Absorption	Absorption	Absorption
ENERGY CLASS	D	C	C	D	D	D
ENERGY CONSUMPTION*	255 KwH/Annum	235 KwH/Annum	235 KwH/Annum	275 KwH/Annum	380 KwH/Annum	380 KwH/Annum
NOISE LEVEL (dBA)	0	0	0	0	0	0
CLIMATE CLASS	N	N	N	N	N	N
VOLTAGE	220-240V	220-240V	220-240V	220-240V	220-240V	220-240V
WATT	65 W	65 W	65 W	65 W	65 W	90 W
Hz	50-60	50-60	50-60	50-60	50-60	50-60
WEIGHT (kg)	15	16	18	22	24	26
COOLING PERFORMANCE** 2°C		2°C	2°C	4°C	5°C	6°C


MODEL	S30T	S40T	SEA 40DX	SG30T	SG40T
VOLUME	30 litres	40 litres	46 litres	30 litres	40 litres
Dimension H/W/D mm	500x405x430	560x405x455	555x492x420	500x405x430	560x405x455
REFRIGERATION SYSTEM	Thermoelectric	Thermoelectric	Absorption	Thermoelectric	Thermoelectric
ENERGY CLASS	F	F	G	G	G
ENERGY CONSUMPTION*	85 KwH/Annum	90 KwH/Annum	66 KwH/Annum	95 KwH/Annum	105 KwH/Annum
NOISE LEVEL (DBA)	0	0	0	0	0
CLIMATE CLASS	N	N	N	N	N
VOLTAGE	220-240V	220-240V	220-240V	220-240V	220-240V
WATT	65 W	65 W	65 W	65 W	65
Hz	50-60	50-60	50-60	50-60	50 -60
WEIGHT (kg)	16	18	24	20	24
COOLING PERFORMANCE** 2°C		2°C	0°C	7°C	8.5°C

*Average energy consumption under normal operating conditions.

**Average minimum cooling performance at 25 degree ambient temperature

Ventilation requirements: If the minibar is placed in a cabinet, a minimum open area of 200 cm² is required for sufficient ventilation and air circulation. This is essential to ensure safe and proper functioning. Please contact us for more information.

DIVINUM WINE COOLER LINEAR S5



A red leather Chesterfield-style sofa is positioned in the lower-left corner of the frame. The background is a textured, stone wall with a mix of beige and brown tones. The sofa has a tufted back and seat, and a decorative row of brass studs along the edge of the armrest. The floor is a black and white checkered pattern.

WINE COOLERS DIVINUM

ART ON THE WALL

The innovative CHAMPAGNE AND WINE COOLERS offer design and indulgence on a whole new level. Much like a painting, the wine cooler is elegantly mounted on the wall. Display your favourite bottles like a piece of art!

www.pamibar.com/divinum

The non plus ultra in refined elegance for hotel minibars. A piece of art to hang on the wall. It's cooling compartment can house one, three or five bottles. A real furnishing accessory that combines functionality and design, as well as attracting attention and stimulating consumption. The LED illuminated glass door creates atmosphere, transforming the „DIVINUM“ into the element of distinction in the room. Perfectly suited for superior rooms, suites and elegant apartments.

DIVINUM
CHAMPAGNE & WINE COOLERS



DUNE S3

- thermoelectric minibar
- H/W/D mm: 600x600x155
- gold or silver-coated frame
- black or white structure and panel
- holds one bottle and two glasses
- weight: 22.4 kg
- automatic defrosting
- LED light
- watt/voltage: 50 W/240 V
- energy consumption: 0.48 kW/24 hrs
- temperatures: +4 to +6° C
- right-hinged door
- also available with the linear frame



CLASSIC C1

- thermoelectric minibar
- H/W/D mm: 600x600x155
- gold or silver-coated frame
- black or white structure and panel
- holds one bottle and two glasses
- weight: 22.4 kg
- automatic defrosting
- LED light
- watt/voltage: 50 W/240 V
- energy consumption: 0.48 kW/24 hrs
- temperatures: +4 to +6° C
- right-hinged door



DUNE C1

- thermoelectric minibar
- H/W/D mm: 600x600x155
- glossy black or matte silver frame
- black or white structure and panel
- holds one bottle and two glasses
- weight: 22.4 kg
- automatic defrosting
- LED light
- watt/voltage: 50 W/240 V
- energy consumption: 0.48 kW/24 hrs
- temperatures: +4 to +6° C
- right-hinged door
- also available with the linear frame



60 WMC

- holds 60 bottles (750 ml)
- H/W/D mm: 833x495x555
- compressor technology
- digital touch-screen panel
- glass door with StopSun mirror finish
- automatic defrosting
- blue interior light with on/off switch
- four chrome-plated slide-out shelves
- energy class: B
- 183 kWh/annum, noise level: 33 dBA
- temperatures: +5 to +18° C
- optional wooden shelves



DUNE S5

- thermoelectric minibar
- H/W/D mm: 780x780x155
- glossy black or matte silver frame
- black or white structure and panel
- holds five bottles and two glasses
- weight: 29 kg
- automatic defrosting
- LED light
- watt/voltage: 50 W/240 V
- energy consumption: 0.48 kW/24 hrs
- temperatures: +12 to +18° C
- right-hinged door



CLASSIC S5

- thermoelectric minibar
- H/W/D mm: 780x780x155
- gold or silver-coated frame
- black or white structure and panel
- holds five bottles and two glasses
- weight: 29 kg
- automatic defrosting
- LED light
- watt/voltage: 50 W/240 V
- energy consumption: 0.48 kW/24 hrs
- temperatures: +12 to +18° C
- right-hinged door



LINEAR S5

- thermoelectric minibar
- H/W/D mm: 780x780x155
- black or white frame
- black or white structure and panel
- holds five bottles and two glasses
- weight: 29 kg
- automatic defrosting
- LED light
- watt/voltage: 50 W/240 V
- energy consumption: 0.48 kW/24 hrs
- temperatures: +12 to +18° C
- right-hinged door



PAMIBAR

PAMIBAR SRLS | P.IVA 0129614302184 | VIA VENOSTA 39012 MERANO (BZ)

+39 0473 222350 | MINIBAR@PAMIBAR.COM

WWW.PAMIBAR.COM

